

# Package: josaplay (via r-universe)

December 27, 2024

**Title** Add Josa Based on Previous Letter in Korean

**Version** 0.2.1

**Description** Josa in Korean is often determined by judging the previous word. When writing reports using Rmd, a function that prints the appropriate investigation for each case is helpful. The 'josaplay' package then evaluates the previous word to determine which josa is appropriate.

**License** MIT + file LICENSE

**Encoding** UTF-8

**Imports** magrittr, utf8, lifecycle

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.2.1

**URL** <https://github.com/mrchypark/josaplay>

**BugReports** <https://github.com/mrchypark/josaplay/issues>

**Suggests** covr, testthat (>= 3.0.0), usethis

**Config/testthat/edition** 3

**Depends** R (>= 2.10)

**LazyData** true

**Repository** <https://mrchypark.r-universe.dev>

**RemoteUrl** <https://github.com/mrchypark/josaplay>

**RemoteRef** HEAD

**RemoteSha** 9cf227f9f102eb90c3d2cf48f5e028f63a64664d

## Contents

extract . . . . .	2
josa . . . . .	2

<b>Index</b>	<b>3</b>
--------------	----------

---

extract	<i>josa support (legacy)</i>
---------	------------------------------

---

**Description**

**[Deprecated]** prefix jsp\_ functions work support gwawa, eunneun, iga, eulleul

**Usage**

```
jsp_gwawa(textko)
```

```
jsp_eunneun(textko)
```

```
jsp_iga(textko)
```

```
jsp_eulleul(textko)
```

**Arguments**

textko	target text in Korean encoding UTF-8
--------	--------------------------------------

**Examples**

```
jsp_gwawa("134")  
jsp_eulleul(15)
```

---

josa	<i>josa support</i>
------	---------------------

---

**Description**

josa support

**Usage**

```
josa(textko, select)
```

**Arguments**

textko	target text in Korean encoding UTF-8
select	Joso that need to select.

# Index

extract, [2](#)

josa, [2](#)

jsp\_eulleul (extract), [2](#)

jsp\_eunneun (extract), [2](#)

jsp\_gwawa (extract), [2](#)

jsp\_iga (extract), [2](#)