

Package: josaplay (via r-universe)

June 28, 2024

Title Add Josa Based on Previous Letter in Korean

Version 0.2.1

Description Josa in Korean is often determined by judging the previous word. When writing reports using Rmd, a function that prints the appropriate investigation for each case is helpful. The 'josaplay' package then evaluates the previous word to determine which josa is appropriate.

License MIT + file LICENSE

Encoding UTF-8

Imports magrittr, utf8, lifecycle

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.1

URL <https://github.com/mrchypark/josaplay>

BugReports <https://github.com/mrchypark/josaplay/issues>

Suggests covr, testthat (>= 3.0.0), usethis

Config/testthat/edition 3

Depends R (>= 2.10)

LazyData true

Repository <https://mrchypark.r-universe.dev>

RemoteUrl <https://github.com/mrchypark/josaplay>

RemoteRef HEAD

RemoteSha 9cf227f9f102eb90c3d2cf48f5e028f63a64664d

Contents

extract	2
josa	2

Index	3
--------------	----------

extract	<i>josa support (legacy)</i>
---------	------------------------------

Description

[Deprecated] prefix jsp_ functions work support gwawa, eunneun, iga, eulleul

Usage

```
jsp_gwawa(textko)
```

```
jsp_eunneun(textko)
```

```
jsp_iga(textko)
```

```
jsp_eulleul(textko)
```

Arguments

textko	target text in Korean encoding UTF-8
--------	--------------------------------------

Examples

```
jsp_gwawa("134")  
jsp_eulleul(15)
```

josa	<i>josa support</i>
------	---------------------

Description

josa support

Usage

```
josa(textko, select)
```

Arguments

textko	target text in Korean encoding UTF-8
select	Joso that need to select.

Index

extract, [2](#)

josa, [2](#)

jsp_eulleul (extract), [2](#)

jsp_eunneun (extract), [2](#)

jsp_gwawa (extract), [2](#)

jsp_iga (extract), [2](#)